

START-UP or CONVERSION

to a BAQUACIL® ULTRA Pool



How to Start a New or Freshly Filled Pool on the BAQUACIL® ULTRA Pool Care System:

1. Fill the pool with water. Start filter and brush and vacuum the pool.
2. Clean or backwash the filter using **BAQUACIL® FILTER CLEANER, BAQUACIL® DE & CARTRIDGE FILTER CLEANER,** or **BAQUACIL® SAND FILTER CLEANER.**
3. Calculate the volume of your pool to determine the right amount of chemicals to use. If you measure the length, width and depth of your pool, your *Authorized Dealer* will be able to calculate your pool volume.
4. Take a water sample to your *Authorized Dealer* for a thorough water analysis using the PINPOINT™ Water Analysis System. Follow your Dealer's recommendations to balance your pool water.
5. Neutralize any chlorine that is present by adding 1 bottle (5 oz. per 10,000 gallons) of **BAQUACIL® CHLORINE NEUTRALIZER** for every 2ppm of free chlorine. Allow the water to circulate for 8 to 12 continuous hours and verify that the free chlorine level is 0.
6. Remove metals (if present):
 - a. If water contains metals – add 1 bottle (1¼ lbs. per 10,000 gallons) of **BAQUACIL® METAL CONTROL** for every 2ppm of metals present and circulate water for 8 to 12 continuous hours.
 - b. If starting a plaster pool – add 1 bottle (1¼ lbs. per 10,000 gallons) of **BAQUACIL® METAL CONTROL** regardless of metal levels and circulate water for 8 to 12 continuous hours.
7. Add the contents of one box of **BAQUACIL® ULTRA SYSTEM START-UP (STEP 1 and STEP 2)** per 10,000 gallons directly to the pool per label directions with the filter running and circulate water for 8 continuous hours. Never mix chemicals.
8. Add one pouch of **BAQUACIL® ULTRA CLEAR GUARD STEP A** and one pouch of **BAQUACIL® ULTRA CLEAR GUARD STEP B** to skimmer with filter running.
9. Add INITIAL DOSE (1 bottle per 10,000 gallons) of **BAQUACIL® ULTRA SANITIZER AND FUNGICIDE.**
10. Run the filter continuously for 24 to 48 hours.
11. Use **BAQUACIL® ULTRA TEST STRIPS** to test the water and adjust the water balance and sanitizer level as necessary.

Start-Up Dosages for the BAQUACIL® ULTRA Pool Care System						
Gallons	BAQUACIL® ULTRA SYSTEM START-UP	BAQUACIL® ULTRA SANITIZER AND FUNGICIDE	BAQUACIL® ULTRA CLEAR GUARD STEP A	BAQUACIL® ULTRA CLEAR GUARD STEP B	BAQUACIL® ULTRA SHOCK AND OXIDIZER	BAQUACIL® CHLORINE NEUTRALIZER
5,000	1 box	½ bottle (1¼ pts.)	1 pouch	1 pouch	½ gal.	2½ oz.
10,000	1 box	1 bottle (3½ pts.)	1 pouch	1 pouch	1 gal.	5 oz.
15,000	2 boxes	1½ bottles (5¼ pts.)	2 pouches	2 pouches	1½ gals.	7½ oz.
20,000	2 boxes	2 bottles (7 pts.)	2 pouches	2 pouches	2 gals.	10 oz.
25,000	3 boxes	2½ bottles (8¾ pts.)	3 pouches	3 pouches	2½ gals.	12½ oz.
30,000	3 boxes	3 bottles (10½ pts.)	3 pouches	3 pouches	3 gals.	15 oz.
35,000	4 boxes	3½ bottles (12¼ pts.)	4 pouches	4 pouches	3½ gals.	17½ oz.
40,000	4 boxes	4 bottles (14 pts.)	4 pouches	4 pouches	4 gals.	20 oz.
45,000	5 boxes	4½ bottles (15¾ pts.)	5 pouches	5 pouches	4½ gals.	22½ oz.
50,000	5 boxes	5 bottles (17½ pts.)	5 pouches	5 pouches	5 gals.	25 oz.

Visit us at: www.baquacilultra.com

START-UP or CONVERSION

to a BAQUACIL® ULTRA Pool



How to Convert to the BAQUACIL® ULTRA Pool Care System:

Conversion from a Chlorine or Bromine Pool

1. Take a water sample to your Authorized Dealer to test with PINPOINT™ Water Analysis System. Follow your Dealer's recommendations to balance your pool water.
2. Brush and vacuum the pool and clean the filter using **BAQUACIL® FILTER CLEANER**, **BAQUACIL® DE & CARTRIDGE FILTER CLEANER**, or **BAQUACIL® SAND FILTER CLEANER**.
3. Remove the source of chlorine or bromine and discontinue further use of these chemicals.
4. Neutralize the chlorine or bromine:
 - a. If water is clear – add 1 bottle (5 oz. per 10,000 gallons) of **BAQUACIL® CHLORINE NEUTRALIZER** for every 2ppm of free chlorine. Allow the water to circulate for 8 to 12 continuous hours and verify that the free chlorine level is 0.
 - b. If haze or algae are present – add 1 bottle (1 gallon per 10,000 gallons) of **BAQUACIL® ULTRA SHOCK AND OXIDIZER**. Allow the water to circulate for 8 to 12 continuous hours and verify that the free chlorine level is 0.
5. Remove metals (if present):
 - a. If water contains metals – add 1 bottle (1¼ lbs. per 10,000 gallons) of **BAQUACIL® METAL CONTROL** for every 2ppm of metals present. Circulate water for 8 to 12 continuous hours.
 - b. If converting a plaster pool – you must add 1 bottle (1¼ lbs. per 10,000 gallons) of **BAQUACIL® METAL CONTROL** regardless of metal levels. Circulate water for 8 to 12 continuous hours.
6. Add the contents of one box of **BAQUACIL® ULTRA SYSTEM START-UP (STEP 1 and STEP 2)** per 10,000 gallons directly to the pool per label directions with the filter running and circulate water for 8 continuous hours.
7. Add one pouch of **BAQUACIL® ULTRA CLEAR GUARD STEP A** and one pouch of **BAQUACIL® ULTRA CLEAR GUARD STEP B** to skimmer with filter running.
8. Add INITIAL DOSE (1 bottle per 10,000 gallons) of **BAQUACIL® ULTRA SANITIZER AND FUNGICIDE**.
9. Run filter continuously for 24 to 48 hours.
10. Use **BAQUACIL® ULTRA TEST STRIPS** to test the water and adjust the water balance and sanitizer level as necessary.

Conversion from a BAQUACIL® Pool Care System Pool

1. Treat any clarity problems with **BAQUACIL® FLOCCULANT** or **BAQUACIL® FILTER AID** as per label directions.
2. Remove metals (if present):
 - a. If water contains metals – add 1 bottle (1¼ lbs. per 10,000 gallons) of **BAQUACIL® METAL CONTROL** for every 2ppm of metals present. Circulate water for 8 to 12 continuous hours.
 - b. If converting a plaster pool – you must add 1 bottle (1¼ lbs. per 10,000 gallons) of **BAQUACIL® METAL CONTROL** regardless of metal levels. Circulate water for 8 to 12 continuous hours.
3. Add the contents of one box of **BAQUACIL® ULTRA SYSTEM START-UP (STEP 1 and STEP 2)** per 10,000 gallons directly to pool per label directions with the filter running and circulate for 8 continuous hours.
4. Add one pouch of **BAQUACIL® ULTRA CLEAR GUARD STEP A** and one pouch of **BAQUACIL® ULTRA CLEAR GUARD STEP B** to skimmer with filter running.
5. Top-up the **BAQUACIL® ULTRA SANITIZER AND FUNGICIDE** to reach 50ppm using Top-up Dosage Chart instructions found in your BAQUACIL® ULTRA Pool Care and Water Testing Guide.
6. Run filter continuously for 24 to 48 hours.
7. Use **BAQUACIL® ULTRA TEST STRIPS** to test the water and adjust the water balance and sanitizer level as necessary.

Start-Up Dosages for the BAQUACIL® ULTRA Pool Care System

Gallons	BAQUACIL® ULTRA SYSTEM START-UP	BAQUACIL® ULTRA SANITIZER AND FUNGICIDE	BAQUACIL® ULTRA CLEAR GUARD STEP A	BAQUACIL® ULTRA CLEAR GUARD STEP B	BAQUACIL® ULTRA SHOCK AND OXIDIZER	BAQUACIL® CHLORINE NEUTRALIZER
5,000	1 box	½ bottle (1¼ pts.)	1 pouch	1 pouch	½ gal.	2½ oz.
10,000	1 box	1 bottle (3½ pts.)	1 pouch	1 pouch	1 gal.	5 oz.
15,000	2 boxes	1½ bottles (5¼ pts.)	2 pouches	2 pouches	1½ gals.	7½ oz.
20,000	2 boxes	2 bottles (7 pts.)	2 pouches	2 pouches	2 gals.	10 oz.
25,000	3 boxes	2½ bottles (8¾ pts.)	3 pouches	3 pouches	2½ gals.	12½ oz.
30,000	3 boxes	3 bottles (10½ pts.)	3 pouches	3 pouches	3 gals.	15 oz.
35,000	4 boxes	3½ bottles (12¼ pts.)	4 pouches	4 pouches	3½ gals.	17½ oz.
40,000	4 boxes	4 bottles (14 pts.)	4 pouches	4 pouches	4 gals.	20 oz.
45,000	5 boxes	4½ bottles (15¾ pts.)	5 pouches	5 pouches	4½ gals.	22½ oz.
50,000	5 boxes	5 bottles (17½ pts.)	5 pouches	5 pouches	5 gals.	25 oz.